Customize Options to Suit Site Conditions

○ Xeric (dry) ○ Mesic (medium) ○ Hydric (wet)

○ Prairie ○ Savanna ○ Wetland ○ Woodland

CHOOSE A RATE SPECIFICATION:

○ lbs/acre PLS ◉ Seeds/ft2 PLS

USDA NRCS

United States Department of Agriculture
Natural Resources Conservation Service

Current Version 09/09/22

CHOOSE YOUR GRASSES

Common Name	Scientific Name Growth Form	Lbs / acre PLS	Seeds / ft2 PLS Equivalent rate below	Coefficient of Conservatism	# Seeds / ft^2 @ 1 lb. / ac	% of Mix	Functional Group
Little Bluestem	**Schizachyrium scoparium**		**10.000**	7	5.5096	25.00%	Perennial Warm Season Grass
	Bunch	**1.815**					
Sideoats Grama	**Bouteloua curtipendula**		**3.000**	7	2.2039	7.50%	Perennial Warm Season Grass
	Rhizomatous	**1.361**					
Virginia Wildrye	**Elymus virginicus**		**1.500**	4	1.5427	3.75%	Perennial Cool Season Grass
	Bunch	**0.972**					
Blue Grama	**Bouteloua gracilis**		**5.500**	8	14.6924	13.75%	Perennial Warm Season Grass
	Bunch	**0.374**					
Fox Sedge	**Carex vulpinoidea**		**10.000**	3	36.7309	25.00%	Perennial Cool Season Sedge
	Bunch	**0.272**					
Rough Dropseed	**Sporobolus compositus**		**10.000**	4	11.0193	25.00%	Perennial Warm Season Grass
	Bunch	**0.908**					

	Species Richness	lbs / acre PLS	seeds / ft^2 PLS	Average CC
GRAMINOID TOTAL	6	5.703	40.000	5.5

CHOOSE YOUR FORBS/LEGUMES

Common Name	Scientific Name Flowering Period	Lbs / acre PLS	Seeds / ft2 PLS	Coefficient of Conservatism	# Seeds / ft^2 @ 1 lb. / ac	% of Mix	Functional Group
		Equivalent rate below					