

**Customize Options to Suit Site Conditions**



**United States Department of Agriculture**  
**Natural Resources Conservation Service**

Dry (Xeric)
  Dry/Mesic
  Mesic (Medium)
  Wet/Mesic
  Wet (Hydric)

Prairie
  Savanna
  Wetland
  Woodland

**CHOOSE A RATE SPECIFICATION:**

lbs/acre PLS
  Seeds/ft2 PLS

*Current Version 08/24*

**CHOOSE YOUR GRASSES**

Common Name	Scientific Name <i>Growth Form</i>	Lbs / acre PLS	Seeds / ft2 PLS	Coefficient of Conservatism	# Seeds / ft <sup>2</sup> @ 1 lb. / ac	% of Mix	Functional Group
		Equivalent rate below					
Little Bluestem	Schizachyrium scoparium <i>Bunch</i>	0.545	3.000	7	5.5096	7.50%	Perennial Warm Season Grass
Sideoats Grama	Bouteloua curtipendula <i>Rhizomatous</i>	1.361	3.000	7	2.2039	7.50%	Perennial Warm Season Grass
Blue Grama	Bouteloua gracilis <i>Bunch</i>	0.272	4.000	8	14.6924	10.00%	Perennial Warm Season Grass
Rough Dropseed	Sporobolus compositus <i>Bunch</i>	0.726	8.000	4	11.0193	20.00%	Perennial Warm Season Grass
Fox Sedge	Carex vulpinoidea <i>Bunch</i>	0.163	6.000	3	36.7309	15.00%	Perennial Cool Season Sedge
Junegrass	Koeleria macrantha <i>Bunch</i>	0.082	6.000	8	73.4619	15.00%	Perennial Cool Season Grass

<b>GRAMINOID TOTAL</b>	Species Richness	lbs / acre PLS	seeds / ft <sup>2</sup> PLS	Average CC
	6	3.149	30.000	6.2





