## Customize Options to Suit Site Conditions

- ◯ Dry (Xeric) ◯ Dry/Mesic ◯ Mesic (Medium) ◯ Wet/Mesic ◯ Wet (Hydric)
- ◯ Prairie ◯ Savanna ◯ Wetland ◯ Woodland

USDA NRCS
United States Department of Agriculture
Natural Resources Conservation Service

**CHOOSE A RATE SPECIFICATION:**

◯ lbs/acre PLS ◉ Seeds/ft2 PLS

*Current Version 08/24*

## CHOOSE YOUR GRASSES

| Common Name | Scientific Name<br>Growth Form | Lbs / acre PLS | Seeds / ft2 PLS<br>Equivalent rate below | Coefficient of Conservatism | # Seeds / $ft^2$ @ 1 lb. / ac | % of Mix | Functional Group |
|---|---|---|---|---|---|---|---|
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

## CHOOSE YOUR FORBS/LEGUMES

| Common Name | Scientific Name<br>Flowering Period | Lbs / acre PLS<br>Equivalent rate below | Seeds / ft2 PLS | Coefficient of Conservatism | # Seeds / $ft^2$ @ 1 lb. / ac | % of Mix | Functional Group |
|---|---|---|---|---|---|---|---|
| **Prairie Spiderwort** | **Tradescantia bracteata** | | **0.030** | 5 | 3.673 | 0.60% | Perennial Forb |
| | Spring, Summer | **0.0082** | | | | | |
| **Ohio Spiderwort** | **Tradescantia ohiensis** | | **0.150** | 4 | 2.938 | 3.00% | Perennial Forb |
| | Spring, Summer | **0.051** | | | | | |
| **Large-flowered beardtongue** | **Penstemon grandiflorus** | | **1.530** | 7 | 5.1423 | 30.60% | Perennial Forb |
| | Spring, Summer | **0.298** | | | | | |
| **Columbine** | **Aquilegia canadensis** | | **0.050** | 6 | 13.9578 | 1.00% | Perennial Forb |
| | Spring, Summer | **0.0036** | | | | | |
| **Heartleaf Alexander** | **Zizia aptera** | | **0.150** | 8 | 4.4077 | 3.00% | Perennial Forb |
| | Spring | **0.034** | | | | | |
| **Canada Anemone** | **Anemone canadensis** | | **0.030** | 4 | 2.9385 | 0.60% | Perennial Forb |
| | Spring, Summer | **0.010** | | | | | |
| **Wild Garlic** | **Allium canadense** | | **0.010** | 4 | 0.2 | 0.20% | Perennial Forb |
| | Spring, Summer | **0.049** | | | | | |
| **Blue Wild Indigo** | **Baptisia australis** | | **0.010** | 5 | 0.6 | 0.20% | Perennial Forb, Legume |
| | Spring, Summer | **0.018** | | | | | |
| **Cream False Indigo** | **Baptisia bracteata** | | **0.0050** | 8 | 0.5 | 0.10% | Perennial Forb, Legume |
| | Spring, Summer | **0.0097** | | | | | |
| **Prairie Phlox** | **Phlox pilosa** | | **0.030** | 8 | 6.9789 | 0.60% | Perennial Forb |
| | Spring, Summer | **0.0043** | | | | | |
| **Alumroot** | **Heuchera richardsonii** | | **1.500** | 8 | 257.1166 | 30.00% | Perennial Forb |
| | Spring, Summer | **0.0058** | | | | | |
| **Golden Alexander's** | **Zizia aurea** | | **1.500** | 7 | 4.0404 | 30.00% | Perennial Forb |
| | Spring, Summer | **0.371** | | | | | |
| **Wild Geranium** | **Geranium maculatum** | | **0.0050** | 7 | 1.8365 | 0.10% | Perennial Forb |
| | Spring, Summer | **0.0027** | | | | | |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |