Customize Options to Suit Site Conditions

◯ Dry (Xeric) ◯ Dry/Mesic ◯ Mesic (Medium) ◯ Wet/Mesic ◯ Wet (Hydric)

◯ Prairie ◯ Savanna ◯ Wetland ◯ Woodland

CHOOSE A RATE SPECIFICATION:

◯ lbs/acre PLS ◉ Seeds/ft2 PLS

United States Department of Agriculture
Natural Resources Conservation Service

Current Version 08/24

CHOOSE YOUR GRASSES

Common Name	**Scientific Name** Growth Form	**Lbs / acre PLS**	**Seeds / ft2 PLS**	Coefficient of Conservatism	# Seeds / ft^2 @ 1 lb. / ac	% of Mix	Functional Group
		Equivalent rate below					

	Species Richness	lbs / acre PLS	seeds / ft^2 PLS	Average CC
GRAMINOID TOTAL	0	0.000	0.000	0.0

CHOOSE YOUR FORBS/LEGUMES

Common Name	Scientific Name Flowering Period	Lbs / acre PLS Equivalent rate below	Seeds / ft2 PLS Equivalent rate below	Coefficient of Conservatism	# Seeds / ft^2 @ 1 lb. / ac	% of Mix	Functional Group
Partridge Pea	**Chamaecrista fasciculata**		**1.750**	3	0.992	17.50%	Annual Forb, Legume
	Summer, Fall	**1.765**					
Common Evening primrose	**Oenothera biennis**		**2.500**	2	33.058	25.00%	Biennial Forb
	Summer, Fall	**0.076**					
Black-eyed Susan	**Rudbeckia hirta**		**2.250**	3	33.7925	22.50%	Biennial Forb
	Summer, Fall	**0.067**					
Rattle Box	**Crotalaria sagittalis**		**1.500**	4	1.6529	15.00%	Annual Forb, Legume
	Summer, Fall	**0.908**					
Brown-eyed Susan	**Rudbeckia triloba**		**2.000**	4	12.4885	20.00%	Biennial Forb
	Summer, Fall	**0.160**					

	Species Richness	lbs / acre PLS	seeds / ft^2 PLS	Average CC
FORBS/LEGUMES TOTAL	5	2.974	10.000	3.2

CHOOSE YOUR VINE OR WOODY PLANT SPECIES

Common Name	Scientific Name Flowering Period	Lbs / acre PLS	Seeds / ft2 PLS	Coefficient of Conservatism	# Seeds / ft^2 @ 1 oz. / ac	% of Mix	Functional Group
		Equivalent rate below					

	Species Richness	Lbs / acre PLS	seeds / ft^2 PLS	Average CC
VINE & WOODY PLANT TOTAL	0	0.000	0.000	0.0

	lbs / acre PLS	seeds / ft^2 PLS	Average CC	Species Richness	Floristic Quality Index
GRAND TOTAL	2.974	10.000	3.2	5	7.2